DOCUMENT RESUME

ED 208 033 TM 810 730

AUTHOR	Rigdon, Steven E.; Tsutakawa, Robert K.
TITLE	Estimation in Latent Trait Models.
INSTITUTION	Missouri Univ., Columbia. Dept. of Statistics.
SPONS AGENCY	Office of Naval Research, Arlington, Va. Personnel and Training Research Programs Office.
REPORT NO	ONR-RR-81-1; UM-MSTR-102
PUB DATE	May 81
CONTRACT	N00014-77-C-0097; NR150-395
NOTE	42p.
EDRS PRICE	MF01/PC02 Plus Postage.
DESCRIPTORS	*Algorithms; *Latent Trait Theory; Mathematical Formulas; *Mathematical Models; *Maximum Likelihood Statistics
IDENTIFIERS	*EM Algorithm; *Estimation (Mathematics); One Parameter Model; Rasch Model

ABSTRACT

Estimation of ability and item parameters in latent trait models is discussed. When both ability and item parameters are considered fixed but unknown, the method of maximum likelihood for the logistic or probit models is well known. Discussed are techniques for estimating ability and item parameters when the ability parameters or item parameters are considered random. When the item parameters are considered fixed, and the ability parameters are random, from some prior distribution with fixed but unknown parameters, the EM algorithm is applied. A modification of the EM algorithm, which requires considerably less computation, is proposed. When both ability and item parameters are considered random, the EM algorithm seems to be impractical because the amount of computation needed is very large. In this case another modification to the EM algorithm is proposed. One advantage to using prior distributions is that parameter estimates usually exist in situations where the maximum likelihood estimates do not. These methods are applied to the one parameter logistic (Rasch) model and numerically compared using several sets of simulated data. It appears likely that most of the methods discussed here can be readily extended to the two and three parameter logistic or probit model. (Author/GK)

****
* Reproductions supplied by EDRS are the best that can be made *
* from the original document. *
****

ED208033

Estimation in Latent Trait Models

Steven E. Rigdon
and
Robert K. Tsutakawa

U.S. DEPARTMENT OF EDUCATION
NATIONAL INSTITUTE OF EDUCATION
EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)
X This document has been reproduced as received from the person or organization originating it.
Minor changes have been made to improve reproduction quality.
• Points of view or opinions stated in this document do not necessarily represent official NIE position or policy.

Research Report 81-1
Mathematical Sciences Technical Report No. 102
May 1981

Department of Statistics
University of Missouri
Columbia, MO 65211

TM 810 730

Prepared under contract No. N00014-77-C-0097, NR150-395
with the Personnel and Training Research Programs
Psychological Sciences Division
Office of Naval Research

Approved for public release; distribution unlimited.
Reproduction in whole or in part is permitted for
any purpose of the United State Government

PERMISSION TO REPRODUCE THIS MATERIAL HAS BEEN GRANTED BY
the Office of Naval Research
TO THE EDUCATIONAL RESOURCES INFORMATION CENTER (ERIC)

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Research Report 81-1	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) ESTIMATION IN LATENT TRAIT MODELS		5. TYPE OF REPORT & PERIOD COVERED 6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Steven E. Rigdon & Robert K. Tsutakawa		8. CONTRACT OR GRANT NUMBER(s) N00014-77-C-0097
9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Statistics University of Missouri Columbia, Missouri 65211		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS PE: 61153N; WU NR 150-395 Proj: PRO42-04 TA: 042-04-01
11. CONTROLLING OFFICE NAME AND ADDRESS Personnel and Training Research Office of Naval Research (Code 458) Arlington, VA 22217		12. REPORT DATE May 1981 13. NUMBER OF PAGES 39
14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT (of this Report)

Approved for public release; distribution unlimited. Reproduction in whole or in part is permitted for any purpose of the United States Government.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Latent trait model, EM algorithm, prior distribution, posterior distribution, Rasch model.

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

Estimation of ability and item parameters in latent trait models is discussed. When both ability and item parameters are considered fixed but unknown, the method of maximum likelihood for the logistic or probit models is well known. This paper discusses techniques for estimating ability and item parameters when the ability parameters, or item parameters (or both) are considered random. When the item parameters are considered fixed,

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6601

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

20. Continued.

and the ability parameters are random, from some prior distribution with fixed but unknown parameters, the EM algorithm is applied. A modification of the EM algorithm, which requires considerably less computation, is proposed. When both ability and item parameters are considered random, the EM algorithm seems to be impractical because the amount of computation needed is very large. In this case another modification to the EM algorithm is proposed. One advantage to using prior distributions is that parameter estimates usually exist in situatiosn where the maximum likelihood estimates do not. These methods are applied to the one parameter logistic or Rasch model and numerically compared using several sets of simulated data. It appears very likely that most of the methods discussed here can be readily extended to the two and three parameter logistic or probit model.

Estimation in Latent Trait Models

1. INTRODUCTION

Given that we have n subjects and k test items, consider binary responses Y_{ij}, $i = 1,\ldots, n$; $j = 1,\ldots, k$, where $Y_{ij} = 0$ or 1 depending on whether the i^{th} subjects's response to item j is incorrect or correct. Let

$$p_{ij} = 1 - q_{ij} = P(Y_{ij} = 1 | \underset{\sim}{\beta}_j, \theta_i) \tag{1.1}$$

be a model for responses, where θ_i is the ability (or latent trait) parameter of the i^{th} subject and $\underset{\sim}{\beta}_j$ (possibly vector valued) is the item parameter of the j^{th} item. Given $\underset{\sim}{\theta} = (\theta_1,\ldots, \theta_n)$ and $\underset{\sim}{\beta} = (\underset{\sim}{\beta}_1,\ldots, \underset{\sim}{\beta}_k)$ we assume conditional independence among responses, $\underset{\sim}{Y} = ((Y_{ij}))$, so that

$$P(\underset{\sim}{Y} = \underset{\sim}{y} | \underset{\sim}{\theta}, \underset{\sim}{\beta}) = \prod_{i=1}^{n} \prod_{j=1}^{k} p_{ij}^{y_{ij}} q_{ij}^{1-y_{ij}} \tag{1.2}$$

We wish to consider estimates of $\underset{\sim}{\theta}$ and $\underset{\sim}{\beta}$ together with measures of uncertainties in these estimates. For this purpose we introduce additional structures to the model, depending on whether we treat $\underset{\sim}{\theta}$ or $\underset{\sim}{\beta}$ (or possibly both) as fixed parameters or random with an unknown prior distribution. In the terminology commonly used in linear models analysis, we may classify the various models as shown in the following table.

$\underset{\sim}{\beta}$ \ θ	Fixed	Random
Fixed	Fixed Effects Models	Mixed Effects Models
Random	Mixed Effects Models	Random Effects Models

Most of the currently available techniques are for the fixed effects models, where the use of maximum likelihood for the logistic and probit models is well known (Wright and Panchapakesan 1969 and Wainer et al. 1980).

In dealing with random parameters, we shall assume that their distributions belong to certain exponential families with unknown parameters. In particular we let $\underset{\sim}{\phi}_1$ and $\underset{\sim}{\phi}_2$ denote the parameters of the prior distribution for $\underset{\sim}{\theta}$ and $\underset{\sim}{\beta}$ respectively, where $\underset{\sim}{\phi}_1$ or $\underset{\sim}{\phi}_2$ (or both) may be vector valued. When $\underset{\sim}{\theta}$ and $\underset{\sim}{\beta}$ are both random, we will further assume that they may be treated as independent random samples.

2. ESTIMATION VIA THE EM ALGORITHM

One general approach to estimating $\underset{\sim}{\theta}$ and $\underset{\sim}{\beta}$ for the random effects and mixed effects models is the EM algorithm (Dempster, Laird and Rubin 1977). The difficulty in using the EM algorithm in practice depends very much on the model. The difficulties are primarily due to the fact that the joint distribution of $(\underset{\sim}{Y},\underset{\sim}{\theta},\underset{\sim}{\beta})$ does not belong to an exponential family. We will discuss some of the difficulties and propose modifications which can be used to obtain estimates for the different models.

One way to view the EM algorithm is to consider certain parameters as nuisance parameters and integrate them out so that we are left with a likelihood function of the parameters of interest, which we can then try to maximize. The maximization is carried out interatively, by successively maximizing a function of certain unobserved sufficient statistics which are estimated by their conditional expectations given preliminary estimates of the unknown parameter.

2.1 EM Algorithm Applied to Mixed Models (MLF)

Suppose we are given k items with parameters $\underset{\sim}{\beta} = (\underset{\sim}{\beta}_1, \ldots, \underset{\sim}{\beta}_k)$ which we consider fixed, and a random sample of subjects with abilities $\underset{\sim}{\theta} = (\theta_1, \ldots, \theta_n)$, selected from a prior distribution with parameter $\underset{\sim}{\phi}_1$. In this case, $(\underset{\sim}{\beta}, \underset{\sim}{\phi}_1)$ may be considered the parameters to be estimated by the EM algorithm and $\underset{\sim}{\theta}$ an unobserved random variable with sufficient statistic $\underset{\sim}{T}_1$.

Starting with some initial estimate $(\underset{\sim}{\beta}^{(0)}, \underset{\sim}{\phi}_1^{(0)})$ for $(\underset{\sim}{\beta}, \underset{\sim}{\phi}_1)$ the algorithm repeats the following E and M steps for $\nu = 0, 1, \ldots,$ until a convergence criterion is met.

E Step: Given $(\underset{\sim}{\beta}^{(\nu)}, \underset{\sim}{\phi}_1^{(\nu)})$, compute the posterior expectation of $\underset{\sim}{T}_1$,

$$t_1^{(\nu+1)} = E(\underset{\sim}{T}_1 | \underset{\sim}{Y}, \underset{\sim}{\beta}^{(\nu)}, \underset{\sim}{\phi}_1^{(\nu)})$$

M Step: Compute the value of $(\underset{\sim}{\beta}^{(\nu+1)}, \underset{\sim}{\phi}_1^{(\nu+1)})$ which maximizes

$$E(\log f(\underset{\sim}{Y}, \underset{\sim}{\theta} | \underset{\sim}{\beta}^{(\nu+1)}, \underset{\sim}{\theta}_1^{(\nu+1)}) | \underset{\sim}{Y}, \underset{\sim}{\beta}^{(\nu)}, \underset{\sim}{\theta}_1^{(\nu)})$$

where $f(\underset{\sim}{Y}, \underset{\sim}{\theta} | \underset{\sim}{\beta}^{(\nu+1)}, \phi_1^{(\nu+1)})$ is the joint probability density function of $(\underset{\sim}{Y}, \underset{\sim}{\theta})$ given $(\underset{\sim}{\beta}^{(\nu+1)}, \underset{\sim}{\phi}_1^{(\nu+1)})$.

The MLF procedure is based on the same principle as the MLF procedure for linear mixed models with normally distributed random variables discussed by Dempster, Rubin and Tsutakawa (1981).

One modification of the MLF procedure is replacing the above M Step by the following

M Step: Compute the maximum likelihood estimate of $(\underset{\sim}{\beta},\underset{\sim}{\phi}_1)$ using $\underset{\sim}{t}_1^{(\nu+1)}$ in lieu of $\underset{\sim}{T}_1$, with $\underset{\sim}{\theta}$ fixed at its posterior expectation given $(\underset{\sim}{\beta}^{(\nu)},\underset{\sim}{\phi}_1^{(\nu)})$.

Because this procedure conditions on the posterior expectation of $\underset{\sim}{\theta}$ given $(\underset{\sim}{\beta}^{(\nu)},\underset{\sim}{\phi}_1^{(\nu)})$ each time through the iteration, we denote this procedure by CMLF.

We note that Sanathanan and Blumenthal (1978) use the EM algorithm to obtain estimates of the item and ability parameters for mixed effects situations. However, their procedure is somewhat different and is based on first obtaining conditional maximum likelihood (CML) estimates for $(\underset{\sim}{\beta},\underset{\sim}{\phi}_1)$, conditional on the observed frequency distribution of raw scores, and then applying the EM algorithm to estimate $\underset{\sim}{\theta}$ while keeping $(\underset{\sim}{\beta},\underset{\sim}{\phi}_1)$ fixed. It appears unlikely that this method generalizes to more complex models, since such conditional maximum likelihood estimates exist because of special properties of the Rasch model.

2.2 EM Algorithm Applied to Random Effects Models

Suppose we are given a random sample of item parameters $\underset{\sim}{\beta} = (\underset{\sim}{\beta}_1,\ldots,\underset{\sim}{\beta}_k)$ with prior distribution having unknown parameter $\underset{\sim}{\phi}_2$, and a random sample of subjects with ability parameter

$\underset{\sim}{\theta} = (\theta_1, \ldots, \theta_n)$ with prior distribution having unknown parameter $\underset{\sim}{\phi}_1$. Let $\underset{\sim}{T}_1$ and $\underset{\sim}{T}_2$ denote the sufficient statistics for $\underset{\sim}{\phi}_1$ and $\underset{\sim}{\phi}_2$ respectively. These statistics are unobserved, but are finite dimensional when the prior distributions belong to exponential families.

In order to apply the EM algorithm, we begin with some initial estimate of $(\underset{\sim}{\phi}_1, \underset{\sim}{\phi}_2)$, then compute in the E step,

$$(\underset{\sim}{t}_1, \underset{\sim}{t}_2) = E(\underset{\sim}{T}_1, \underset{\sim}{T}_2 | \underset{\sim}{Y}, \underset{\sim}{\phi}_1, \underset{\sim}{\phi}_2) \tag{2.1}$$

and, for the M step, maximize the likelihood function, for $(\underset{\sim}{\theta}, \underset{\sim}{\beta})$, with respect to $\underset{\sim}{\phi}_1$ and $\underset{\sim}{\phi}_2$, with the posterior expectation (2.1) used in place of $(\underset{\sim}{T}_1, \underset{\sim}{T}_2)$

However, for all of the latent trait models we have considered, the evaluation of (2.1) requires the numerical evaluation of multiple integrals of the order exceeding n and k. The reason for this is that the marginal posterior of θ_i and $\underset{\sim}{\beta}_j$ must be obtained through the likelihood function (1.2) which does not factor into a form suitable for low order integration.

We note however that it is considerably easier to compute the posterior expectation of $\underset{\sim}{T}_1$ when we are given $\underset{\sim}{\beta}$, and the posterior expectation of $\underset{\sim}{T}_2$ given $\underset{\sim}{\theta}$. We have thus modified the EM algorithm as follows.

Start with some initial value $(\underset{\sim}{\beta}^{(0)}, \underset{\sim}{\phi}_1^{(0)}, \underset{\sim}{\phi}_2^{(0)})$ for $(\underset{\sim}{\beta}, \underset{\sim}{\phi}_1, \underset{\sim}{\phi}_2)$, and repeat the following for $\nu = 0, 1, \ldots,$ until a convergence criterion is satisfied.

E_1 Step: Compute

$$\underset{\sim}{\theta}^{(\nu+1)} = E(\underset{\sim}{\theta}|\underset{\sim}{Y},\underset{\sim}{\phi}_1^{(\nu)},\underset{\sim}{\beta}^{(\nu)}) \tag{2.2}$$

$$\underset{\sim}{t}_1^{(\nu+1)} = E(\underset{\sim}{T}_1|\underset{\sim}{Y},\underset{\sim}{\phi}_1^{(\nu)},\underset{\sim}{\beta}^{(\nu)}) \tag{2.3}$$

E_2 Step: Compute

$$\underset{\sim}{\beta}^{(\nu+1)} = E(\underset{\sim}{\beta}|\underset{\sim}{Y},\underset{\sim}{\phi}_2^{(\nu)},\underset{\sim}{\theta}^{(\nu+1)}) \tag{2.4}$$

$$\underset{\sim}{t}_2^{(\nu+1)} = E(\underset{\sim}{T}_2|\underset{\sim}{Y},\underset{\sim}{\phi}_2^{(\nu)},\underset{\sim}{\theta}^{(\nu+1)}) \tag{2.5}$$

M_1 Step: Compute $\underset{\sim}{\phi}_1^{(\nu+1)}$, the maximum likelihood estimator of $\underset{\sim}{\phi}_1$ using $\underset{\sim}{t}_1^{(\nu+1)}$ in place of $\underset{\sim}{T}_1$.

M_2 Step: Compute $\underset{\sim}{\phi}_2^{(\nu+1)}$, the maximum likelihood estimator of $\underset{\sim}{\phi}_2$ using $\underset{\sim}{t}_2^{(\nu+1)}$ in place of $\underset{\sim}{T}_2$.

If convergence is attained the terminal value of $(\underset{\sim}{\theta}^{(\nu)},\underset{\sim}{\beta}^{(\nu)},\underset{\sim}{\phi}_1^{(\nu)},\underset{\sim}{\phi}_2^{(\nu)})$ will satisfy the consistency conditions

$$E(\underset{\sim}{T}_1|\underset{\sim}{Y},\underset{\sim}{\phi}_1,\underset{\sim}{\beta}) = E(\underset{\sim}{T}_1|\underset{\sim}{\phi}_1,\underset{\sim}{\beta}) \tag{2.6}$$

and

$$E(\underset{\sim}{T}_2|\underset{\sim}{Y},\underset{\sim}{\phi}_2,\underset{\sim}{\theta}) = E(\underset{\sim}{T}_2|\underset{\sim}{\phi}_2,\underset{\sim}{\theta}) \ . \tag{2.7}$$

Note that equation (2.3) is similar to the E Step of the MLF procedure for the mixed model, with the exception that we condition on the posterior expectation of $\underset{\sim}{\beta}$ rather than on the maximum likelihood estimate.

The estimates $(\underset{\sim}{\phi}_1^{(\nu)}, \underset{\sim}{\phi}_2^{(\nu)})$ thus obtained are not true maximum likelihood estimates, which would result if straight EM were possible. Because of the conditional nature of this solution, and because both $\underset{\sim}{\theta}$ and $\underset{\sim}{\beta}$ are random, we denote this procedure by CMLR.

The assumption that $\underset{\sim}{\beta}$ is a random sample from some common distribution could be unrealistic when item pools are deliberately organized to contain a wide spectrum of difficulties or when other differences are present. One Bayesian solution to this problem is to consider a uniform prior distribution on each $\underset{\sim}{\beta}_i$ where the range is, in principle, finite but very large. Using an algorithm similar to CMLR, the posterior distribution of $\underset{\sim}{\beta}$ (conditional on $\underset{\sim}{\theta}$) can be computed and used to compare different items. This procedure will be denoted by CMLU and is illustrated below.

3. APPLICATION OF EM ALGORITHM TO RASCH MODEL

Given θ_i and β_j , the Rasch model, or one parameter logistic model, gives the probability distribution of Y_{ij} as

$$P(Y_{ij}=y_{ij}|\theta_i,\beta_j) = \frac{\exp(y_{ij}(\theta_i-\beta_j))}{1 + \exp(\theta_i-\beta_j)} , \quad y_{ij} = 0, 1 .$$

In the Rasch model, θ_i is called the ability parameter and β_j is called the item or difficulty parameter. Assuming conditional independence among the responses $\underset{\sim}{Y} = ((Y_{ij}))$, the probability distribution of $\underset{\sim}{Y}$ can be written as

$$P(\underset{\sim}{Y}=\underset{\sim}{y}|\underset{\sim}{\theta},\underset{\sim}{\beta}) = \prod_{i=1}^{n}\prod_{j=1}^{k}\frac{\exp(y_{ij}(\theta_i-\beta_j))}{1+\exp(\theta_i-\beta_j)} \qquad (3.1)$$

$$= \frac{\exp(\sum_{i=1}^{n} r_i\theta_i - \sum_{j=1}^{k} q_j\theta_j)}{\prod_{i=1}^{n}\prod_{j=1}^{k}(1+\exp(\theta_i-\beta_j))}$$

where r_i is the raw score of the i^{th} examinee defined by

$$r_i = \sum_{j=1}^{k} y_{ij}$$

and q_j is the item score for the j^{th} item defined by

$$q_j = \sum_{i=1}^{n} y_{ij} .$$

3.1. MLF Estimation

For MLF, we assume that $\theta_1, \ldots, \theta_n$ form a random sample of size n from the normal distribution with mean μ and variance σ^2, where μ and σ^2 are fixed but unknown quantities. The difficulty parameters $\underset{\sim}{\beta} = (\beta_1,\ldots,\beta_k)$ are also assumed to be fixed but unknown. Since $\theta_1, \ldots, \theta_n$ are assumed independent, the prior distirbution $p(\theta|\mu,\sigma)$ of $\underset{\sim}{\theta} = (\theta_1,\ldots,\theta_n)$ is the product of n normal distributions, each with mean μ and variance σ^2. From (3.1), the likelihood function of $\underset{\sim}{\theta}$, given $\underset{\sim}{\beta}$, is

$$\ell(\underset{\sim}{\theta}|\underset{\sim}{y},\underset{\sim}{\beta}) = P(\underset{\sim}{Y}=\underset{\sim}{y}|\underset{\sim}{\theta},\underset{\sim}{\beta}) .$$

Combining the prior distribution of $\underset{\sim}{\theta}$, $p(\underset{\sim}{\theta}|\mu,\sigma)$, with the likelihood function of $\underset{\sim}{\theta}$, $\ell(\underset{\sim}{\theta}|\underset{\sim}{y},\underset{\sim}{\beta})$, we can obtain the posterior distribution of $\underset{\sim}{\theta}$, given $\underset{\sim}{\beta}$, which is

$$p(\underset{\sim}{\theta}|\underset{\sim}{y},\mu,\sigma,\underset{\sim}{\beta}) = Hp(\underset{\sim}{\theta}|\mu,\sigma)\ell(\underset{\sim}{\theta}|\underset{\sim}{y},\underset{\sim}{\beta}) \tag{3.2}$$

where H is the normalizing constant chosen such that the expression on the right side of (3.2) integrates to one. By integrating (3.2) with respect to $\theta_1, \ldots, \theta_{i-1}, \theta_{i+1}, \ldots, \theta_n$, we can obtain the marginal posterior distribution of θ_i , which can be written as

$$p(\theta_i|\underset{\sim}{y},\mu,\sigma,\underset{\sim}{\beta}) = \frac{H_i \exp((-(\theta_i-\mu)^2/2\sigma^2)+r_i\theta_i)}{\prod_{j=1}^{k}(1+e^{\theta_i-\beta_j})}$$

where H_i is the appropriate nomralizing constant.

The estimation of ability and difficulty parameters proceeds as follows. Begin with an initial set of estimates, $\underset{\sim}{\beta}^{(0)} = (\beta_1^{(0)}, \ldots, \beta_k^{(0)})$, for the item parameters, and initial estimates $\mu^{(0)}$ and $\sigma^{(0)}$ for μ and σ respectively. A convenient choice for initial estimates of the difficulty parameters is the negative of the standardized item scores. Then for $\nu = 0, 1, \ldots$, until a convergence criterion is satisfied, repeat the E and M steps.

E Step: Calculate

$$t_{1l} = \sum_{i=1}^{n} \theta_{il}^{(\nu+1)} \tag{3.3}$$

$$t_{12} = \sum_{i=1}^{n} \theta_{i2}^{(\nu+1)} \tag{3.4}$$

where

$$\theta_{i1}^{(\nu+1)} = E(\theta_i | \underset{\sim}{Y}, \mu^{(\nu)}, \sigma^{(\nu)}, \underset{\sim}{\beta}^{(\nu)}) \tag{3.5}$$

and

$$\theta_{i2}^{(\nu+1)} = E(\theta_i^2 | \underset{\sim}{Y}, \mu^{(\nu)}, \sigma^{(\nu)}, \underset{\sim}{\beta}^{(\nu)}) \tag{3.6}$$

M Step: Find the values of $\mu^{(\nu+1)}$, $\sigma^{(\nu+1)}$ and $\underset{\sim}{\beta}^{(\nu+1)}$ which maximize

$$E(\log p(\underset{\sim}{\theta} | \underset{\sim}{Y}, \mu^{(\nu+1)}, \sigma^{(\nu+1)}, \beta^{(\nu+1)}) | \mu^{(\nu)}, \sigma^{(\nu)}, \underset{\sim}{\beta}^{(\nu)}) \tag{3.7}$$

In order to assure uniqueness of the parameterization, after each M-step, we standardize the difficulty parameters so that they sum to zero.

Since $\exp(-(\theta_i-\mu)^2/2\sigma^2)$ is in the integrand in (3.5) and (3.6), a simple change of variable will put this into a form where Gauss-Hermite quadrature formulas for numerical integration are suitable. To obtain the values of $\mu^{(\nu+1)}$ and $\sigma^{(\nu+1)}$ which maximize (3.7), we differentiate (3.7) with respect to $\mu^{(\nu+1)}$ and $\sigma^{(\nu+1)}$ and set these results equal to zero. The integral in (3.7) can be written as the sum of a finite number of single integrals, each of which is uniformly convergent in $\mu^{(\nu+1)}$ and $\sigma^{(\nu+1)}$, hence moving the differentiation operator inside the integral is valid. This yields simple and familiar expressions for the $\mu^{(\nu+1)}$ and $\sigma^{(\nu+1)}$ which maximize (3.7), namely,

$$\mu^{(\nu+1)} = t_{11}/n \tag{3.8}$$

and

$$\sigma^{(\nu+1)^2} = t_{12}/n - \mu^{(\nu+1)^2} \tag{3.9}$$

To find the $\underset{\sim}{\beta}$ that maximizes (3.7), we differentiate (3.7) with respect to $\beta_j^{(\nu+1)}$, $j = 1,\ldots,k$ and set these results equal to zero. Again, it is valid to differentiate inside the integral, but now we cannot get a closed form expression for $\beta_j^{(\nu+1)}$. Instead, we get k nonlinear equations

$$-q_j + \sum_{i=1}^{n} \int_{-\infty}^{\infty} \frac{\exp(\theta_i - \beta_j^{(\nu+1)})}{1 + \exp(\theta_i - \beta_j^{(\nu+1)})} p(\theta_i | \underset{\sim}{y}, \mu, \sigma, \underset{\sim}{\beta}^{(\nu)}) d\theta_i = 0 , \tag{3.10}$$

$j = 1,\ldots, k$. These equations can be solved one at a time by the secant method described in Conte and deBoor (1972).

3.2 CMLF Applied to Rasch Model

The MLF procedure can be modified slightly by doing the following. As before, begin with initial estimates $\mu^{(0)}, \sigma^{(0)}$ and $\underset{\sim}{\beta}^{(0)}$ for μ, σ and $\underset{\sim}{\beta}$. Then, until a convergence criterion is satisfied, for $\nu = 0, 1, \ldots,$ repeat the following steps:

E Step: Calculate $\underset{\sim}{t}_1 = (t_{11}, t_{12})$ as in (3.3) and (3.4)

M_1 Step: Using $\underset{\sim}{\theta}^{(\nu+1)}$ as the actual values of $\underset{\sim}{\theta}$, calculate the maximum likelihood estimate of $\underset{\sim}{\beta}$.

M_2 Step: Set $\mu^{(\nu+1)}$ and $\sigma^{(\nu+1)^2}$ equal to the values given in (3.8) and (3.9) respectively.

After each M_2 step, we standardize the item parameters so that they sum to zero. To do the M step, we find the log-likelihood function of $\underset{\sim}{\beta}$ given $\underset{\sim}{y}$ and $\underset{\sim}{\theta}^{(\nu+1)}$ to be

$$L(\underset{\sim}{\beta}|\underset{\sim}{y},\underset{\sim}{\theta}^{(\nu+1)}) = \sum_{i=1}^{n} \theta_i^{(\nu+1)} r_i - \sum_{j=1}^{k} \beta_j q_j - \sum_{i=1}^{n} \sum_{j=1}^{k} \log(1+\exp(\theta_i^{(\nu+1)}-\beta_j)) . \tag{3.11}$$

Differentiating (3.11) with respect to β_j, and setting the result equal to zero yields a nonlinear equation whose root is the maximum likelihood estimate of β_j, when $\underset{\sim}{\theta}$ is given. That is, we numerically solve the equation

$$\frac{\partial L}{\partial \beta_j} = -q_j + \sum_{i=1}^{n} (1+\exp(\beta_j-\theta_i^{(\nu+1)})) = 0$$

for β_j. If q_j is not zero or k, then this equation will have a unique solution.

3.3 CMLR Applied to Rasch Model

Suppose now that $\theta_1, \ldots, \theta_n$ is a random sample from the normal distribution with mean μ and variance σ^2, and $\beta_1, \ldots, \beta_k$ is a random sample from the normal distribution with mean zero and variance τ^2. Again, we start with initial estimates $\underset{\sim}{\beta}^{(0)}$, $\mu^{(0)}$, $\sigma^{(0)}$ and $\tau^{(0)}$ for $\underset{\sim}{\beta}, \mu, \sigma$ and τ respectively. For $\nu = 0, 1, \ldots$, until a convergence criterion is reached, we repeat the following steps:

E_1 Step: Calculate $\underset{\sim}{t}_1 = (t_{11}, t_{12})$ as in (3.3) and (3.4).

E_2 Step: Calculate $\underset{\sim}{t}_2 = (t_{21}, t_{22})$ by

$$t_{21} = \sum_{j=1}^{k} \beta_{j1}^{(\nu+1)}$$

$$t_{22} = \sum_{j=1}^{k} \beta_{j2}^{(\nu+1)}$$

where

$$\beta_{j1}^{(\nu+1)} = E(\beta_j | Y, \tau^{(\nu)^2}, \underset{\sim}{\theta}^{(\nu+1)}) \tag{3.12}$$

and

$$\beta_{j2}^{(\nu+1)} = E(\beta_j^2 | Y, \tau^{(\nu)^2}, \underset{\sim}{\theta}^{(\nu+1)}) \ . \tag{3.13}$$

M Step: Set $\mu^{(\nu+1)}$ and $\sigma^{(\nu+1)^2}$ equal to the values given in (3.8) and (3.9) respectively, and set

$$\tau^{(\nu+1)} = t_{22}/k - (t_{21}-k)^2$$

After each M step, we standardize the item scores so that they sum to zero. Since $\beta_1, \ldots, \beta_k$ are independent and normally distributed, the joint distribution is the product of k normal distributions each with mean zero and variance τ^2.

Combining the likelihood function of $\underset{\sim}{\beta}$ with the prior distribution of $\underset{\sim}{\beta}$ we obtain the posterior distribution of $\underset{\sim}{\beta}$. Integrating with respect to $\beta_1, \ldots, \beta_{j-1}, \beta_{j+1}, \ldots, \beta_k$, yields the marginal posterior distribution of β_j given $\underset{\sim}{\theta}$,

$$p(\beta_j | \underset{\sim}{y}, \tau, \underset{\sim}{\theta}) = \frac{G_j \exp(-\beta_j^2/2\tau^2 - \beta_j q_j)}{\prod_{i=1}^{n} (1+\exp(\theta_i - \beta_j))} \tag{3.14}$$

where G_j is the appropriate normalizing constant. For evaluating posterior moments, here again Gauss-Hermite quadrature formulas are applicable.

CMLU is a limiting case of CMLR where the prior distribution of the item parameters is taken to be uniform. When the β's are independent and have a uniform prior, the posterior distribution

of β_j can be written as

$$p(\beta_j|\underset{\sim}{y},\tau,\underset{\sim}{\theta}) = \frac{F_j \exp(-\beta_j q_j)}{\prod_{i=1}^{n} (1+\exp(\theta_i-\beta_j))} \qquad (3.15)$$

where F_j is the appropriate normalizing constant. If q_j is not zero or k, then F_j can be chosen to make this integrate to one, and also, moments of all order exist for β_j. The estimation procedure is similar to that of CMLR except that, first, the posterior distribution of β_j is taken to be the expression given in (3.15), and second, the estimate for $\tau^{(\nu+1)}$ need not be computed.

4. NUMERICAL EXAMPLES

In this section we discuss the implementation of these procedures to four simulated data sets. In all four sets, the item parameters were taken to be standard normal random variates. In two of the data sets, denoted SI and SII, the ability parameters were taken as standard normal random variates. In the third data set, denoted SIII, the ability parameters were taken as a random sample from the uniform distribution on the interval from -3 to 3. The ability parameters for the fourth simulated data set, were taken as random variates from the Cauchy distribution, which has probability density function

$$f(x) = \frac{10}{\pi(1+100x^2)} \quad , -\infty < x < \infty.$$

In all four cases, the size of the data sets were 100 examinees and 45 items.

We estimated the ability and difficulty parameters by the five methods: maximum likelihood (ML), MLF, CMLF, CMLR, and CMLU. In the data set SI, one raw score was k (45) and in data set SIV, one raw score was zero. In these cases the maximum likelihood estimate for the ability of the subject scoring perfectly or scoring a zero, does not exist. Thus, we did not apply ML in these two cases.

The estimated parameters μ,σ and τ for each of the four data sets are shown in Table 1. In some models, the three parameters μ, σ and τ do not all appear. When this happens, we have given the values of the appropriate sample statistic and put these numbers in parentheses. The sample statistics of the actual ability and item parameters are also given.

In most cases the estimates for μ and σ obtained by the MLF and CMLF methods were quite close to each other and quite close to the estimates obtained by the CMLU methods. The ML estimates were somewhat close to the MLF, CMLF and CMLU estimates. The CMLR estimates were usually quite far from the estimates obtained by the other methods. In one extreme case, τ , in the CMLR method actually converged to zero, meaning that the estimates of all item parameters were zero. Still estimates for μ, σ and $\underset{\sim}{\theta}$ were obtained in this case.

Figures 1 through 4 give scatter plots of the ML estimates of $\underset{\sim}{\theta}$ for SII on the vertical axes, and MLF, CMLF, CMLR and CMLU estimates on the horizontal axes. Figures 5 through 8 give scatter plots for the corresponding item parameters.

The plots in Figures 1 through 4 show the relation between the sets of ability estimates. The estimates obtained by ML were more spread out than the estimates from the other four methods. Expecially noticeable is the way in which the MLF, CMLF, CMLR and CMLU pulled the estimates at the extreme ends closer to zero.

The plots in Figure 5, 6, and 8 show a nearly linear relationship between the ML estimates and the MLF, CMLF and CMLU estimates of the item parameters that lies on the diagonal line through the origin. The plot of ML versus CMLR in Figure 7 shows a nearly linear relationship, except here the CMLR estimates are much more spread out than the ML estimates. The estimate for τ in SII was 2.6401 which accounts for the large variation in the CMLR estimates.

Since the data was simulated, the actual values of $\underset{\sim}{\theta}$ and $\underset{\sim}{\beta}$ were known, so these can be compared with the estimates. Table 2 shows the mean squared errors (MSE's) for the different estimation techniques. An asterisk next to a value indicates that the MSE for that method was smallest among the five methods. In most cases the MSE's from the MLF, CMLF and CMLU were very close. In five of the eight cases, the MSE from the CMLF was the lowest among the five methods. The MSE's for CMLR in Table 2 are generally larger than for other methods. This may be due to the poorer estimates of μ, σ and τ as seen in Table 1.

5. SUMMARY AND FURTHER REMARKS

We have discussed several methods for estimating parameters in the Rasch model, namely, MLF, CMLF, CMLR, and CMLU. In all four of these methods, the ability parameter of a subject can be

estimated even when that subject scores perfectly or scores a zero, a property not shared by maximum likelihood. If an item score for some item is either zero or n, then the difficulty parameter for this item cannot be estimated by the MLF, CMLF, or CMLU procedures. However this parameter can be estimated if the CMLR procedure is used.

Since the item parameters are estimated one at a time (in all four methods discussed here), it is feasible that these methods could be extended to a two or three parameter logistic model. In extending the CMLR or CMLU procedure, it is necessary to calculate double integrals for the two parameter model and triple integrals for the three parameter model, for each item in the test, each time through the iteration. It might be practical to compute double integrals, however the computer time necessary to do triple integrals would probably be prohibitive. On the other hand, when extending the MLF or CMLF procedures, it is necessary to maximize functions of two or three variables. The Newton-Raphson technique is a practical way to do this even for a three parameter logistic model.

Table 1. Estimates of Parameters of Prior Distribution

		μ	σ	τ
	ACTUAL	(-0.1177)	(1.0388)	(1.0245)
	ML	NA	NA	NA
SI	MLF	-0.1452	1.0460	(1.0040)
	CMLF	-0.1447	1.0407	(0.9879)
	CMLR	-0.1299	0.9092	0.4926
	CMLU	-0.1451	1.0442	(0.9991)
	ACTUAL	(-0.0357)	(0.9758)	(1.0496)
	ML	(-0.0953)	(1.0735)	(1.1430)
SII	MLF	-0.0916	0.9764	(1.1142)
	CMLF	-0.2894	0.5046	(1.0949)
	CMLR	-0.4762	0.9595	2.6401
	CMLU	-0.2904	0.5070	(1.1080)
	ACTUAL	(-0.1878)	(1.8103)	(0.9381)
	ML	(-0.1704)	(1.8765)	(0.9352)
SIII	MLF	-0.1711	1.8040	0.9071
	CMLF	-0.1710	1.8035	(0.9059)
	CMLR	-0.1517	1.5743	0.
	CMLU	-0.1712	1.8055	(0.9103)
	ACTUAL	(-0.3759)	(1.1151)	(0.8796)
	ML	NA	NA	NA
SIV	MLF	-0.2904	0.5075	(0.9252)
	CMLF	-0.2894	0.5046	(0.9110)
	CMLR	-0.4762	0.9595	2.6401
	CMLU	-0.2904	0.5070	(0.9232)

NA - method not applicable in this case.

TABLE 2. MSE's of Ability and Item Parameters

		$\frac{1}{100}\sum_{i=1}^{100}(\theta_i-\hat{\theta}_i)^2$	$\frac{1}{45}\sum_{j=1}^{45}(\beta_j-\hat{\beta}_j)^2$
	ML	NA	NA
	MLF	.11486	.04059*
SI	CMLF	.11473*	.04083
	CMLR	.12955	.30639
	CMLU	.11481	.04069
	ML	.13247	.06626
	MLF	.10541	.06049
SII	CMLF	.10540*	.05749*
	CMLR	.12145	.21690
	CMLU	.10542	.05982
	ML	.20119	.07112
	MLF	.16138	.07005
SIII	CMLF	.16123	.06992*
	CMLR	.21943	.86055
	CMLU	.16119*	.07002
	ML	NA	NA
	MLF	.31587*	.06347
	CMLF	.72997	.06142*
	CMLR	.54443	2.94153
	CMLU	.72788	.06303

NA - method not applicable in this case.
* - method had lowest MSE among five methods.



FIGURE 1. ML vs MLF Estimates of Ability

+ - one observation
● - two or three observations
◉ - four or more observations



FIGURE 2. ML vs CMLF Estimates of Ability



FIGURE 3. ML vs CMLR Estimates of Ability



FIGURE 4. ML vs CMLU Estimates of Ability



FIGURE 5. ML vs MLF Estimates of Difficulty Parameters



FIGURE 6. ML vs CMLF Estimates of Difficulty Parameters



FIGURE 7. ML vs CMLR Estimates of Difficulty Parameters



FIGURE 8. ML vs CMLU Estimates of Difficulty Parameters

REFERENCES

Conte, S. D. and de Boor, C. (1972) Elementary Numerical Analysis: An Algorithmic Approach, McGraw Hill, New York.

Dempster, A. P., Laird, N. M., and Rubin, D. B. (1977), "Maximum Likelihood from Incomplete Data via the EM Algorithm (with Discussion)," Journal of the Royal Statistical Society, Series B, 39, 1-38.

Dempster, A. P., Rubin, D. B., and Tsutakawa, R. K. (1981), "Estimating in Covariance Components Models," to appear in the Journal of the American Statistical Association.

Sanathanan, L. and Blumenthal, S. (1978), "The Logistic Model and Estimation of Latent Structure, " Journal of the American Statistical Association, 73, 794-799.

Wainer, H., Morgan, A., and Gustafson, J. E. (1980), "A Review of Estimation Procedures for the Rasch Model with an Eye Towards Longish Tests," Journal of Educational Statistics, 5, 35-64.

Wright, B. and Panchapakesan, N. (1969) "A Procedure for Sample-Free Item Analysis," Educational and Psychological Measurement, 29, 23-48.

Navy

1 Dr. Jack R. Borsting
Provost & Academic Dean
U.S. Naval Postgraduate School
Monterey, CA 93940

1 Dr. Robert Breaux
Code N-711
NAVTRAEQUIPCEN
Orlando, FL 32813

1 Chief of Naval Education and Training
Liason Office
Air Force Human Resource Laboratory
Flying Training Division
WILLIAMS AFB, AZ 85224

1 CDR Mike Curran
Office of Naval Research
800 N. Quincy St.
Code 270
Arlington, VA 22217

1 Dr. Richard Elster
Department of Administrative Sciences
Naval Postgraduate School
Monterey, CA 93940

1 DR. PAT FEDERICO
NAVY PERSONNEL R&D CENTER
SAN DIEGO, CA 92152

1 Mr. Paul Foley
Navy Personnel R&D Center
San Diego, CA 92152

1 Dr. John Ford
Navy Personnel R&D Center
San Diego, CA 92152

1 Dr. Henry M. Halff
Department of Psychology,C-009
University of California at San Diego
La Jolla, CA 92093

Navy

1 Dr. Patrick R. Harrison
Psychology Course Director
LEADERSHIP & LAW DEPT. (7b)
DIV. OF PROFESSIONAL DEVELOPMMENT
U.S. NAVAL ACADEMY
ANNAPOLIS, MD 21402

1 CDR Charles W. Hutchins
Naval Air Systems Command Hq
AIR-340F
Navy Department
Washington, DC 20361

1 CDR Robert S. Kennedy
Head, Human Performance Sciences
Naval Aerospace Medical Research Lab
Box 29407
New Orleans, LA 70189

1 Dr. Norman J. Kerr
Chief of Naval Technical Training
Naval Air Station Memphis (75)
Millington, TN 38054

1 Dr. William L. Maloy
Principal Civilian Advisor for
Education and Training
Naval Training Command, Code 00A
Pensacola, FL 32508

1 Dr. Kneale Marshall
Scientific Advisor to DCNO(MPT)
OP01T
Washington DC 20370

1 CAPT Richard L. Martin, USN
Prospective Commanding Officer
USS Carl Vinson (CVN-70)
Newport News Shipbuilding and Drydock Co
Newport News, VA 23607

1 Dr. James McBride
Navy Personnel R&D Center
San Diego, CA 92152

1 Ted M. I. Yellen
Technical Information Office, Code 201
NAVY PERSONNEL R&D CENTER
SAN DIEGO, CA 92152

Navy

1 Library, Code P201L
Navy Personnel R&D Center
San Diego, CA 92152

6 Commanding Officer
Naval Research Laboratory
Code 2627
Washington, DC 20390

1 Psychologist
ONR Branch Office
Bldg 114, Section D
666 Summer Street
Boston, MA 02210

1 Psychologist
ONR Branch Office
536 S. Clark Street
Chicago, IL 60605

1 Office of Naval Research
Code 437
800 N. Quincy SStreet
Arlington, VA 22217

5 Personnel & Training Research Programs
(Code 458)
Office of Naval Research
Arlington, VA 22217

1 Psychologist
ONR Branch Office
1030 East Green Street
Pasadena, CA 91101

1 Office of the Chief of Naval Operations
Research Development & Studies Branch
(OP-115)
Washington, DC 20350

1 LT Frank C. Petho, MSC, USN (Ph.D)
Selection and Training Research Division
Human Performance Sciences Dept.
Naval Aerospace Medical Research Laborat
Pensacola, FL 32508

1 Dr. Bernard Rimland (03B)
Navy Personnel R&D Center
San Diego, CA 92152

Navy

1 Dr. Worth Scanland, Director
Research, Development, Test & Evaluation
N-5
Naval Education and Training Command
NAS, Pensacola, FL 32508

1 Dr. Robert G. Smith
Office of Chief of Naval Operations
OP-987H
Washington, DC 20350

1 Dr. Alfred F. Smode
Training Analysis & Evaluation Group
(TAEG)
Dept. of the Navy
Orlando, FL 32813

1 Dr. Richard Sorensen
Navy Personnel R&D Center
San Diego, CA 92152

1 Dr. Ronald Weitzman
Code 54 WZ
Department of Administrative Sciences
U. S. Naval Postgraduate School
Monterey, CA 93940

1 Dr. Robert Wisher
Code 309
Navy Personnel R&D Center
San Diego, CA 92152

1 DR. MARTIN F. WISKOFF
NAVY PERSONNEL R& D CENTER
SAN DIEGO, CA 92152

Army

1 Technical Director
U. S. Army Research Institute for the
Behavioral and Social Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333

1 Dr. Myron Fischl
U.S. Army Research Institute for the
Social and Behavioral Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333

1 Dr. Dexter Fletcher
U.S. Army Research Institute
5001 Eisenhower Avenue
Alexandria,VA 22333

1 Dr. Michael Kaplan
U.S. ARMY RESEARCH INSTITUTE
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333

1 Dr. Milton S. Katz
Training Technical Area
U.S. Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

1 Dr. Harold F. O'Neil, Jr.
Attn: PERI-OK
Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

1 Mr. Robert Ross
U.S. Army Research Institute for the
Social and Behavioral Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333

1 Dr. Robert Sasmor
U. S. Army Research Institute for the
Behavioral and Social Sciences
5001 Eisenhower Avenue
Alexandria, VA 22333

Army

1 Commandant
US Army Institute of Administration
Attn: Dr. Sherrill
FT Benjamin Harrison, IN 46256

1 Dr. Frederick Steinheiser
Dept. of Navy
Chief of Naval Operations
OP-113
Washington, DC 20350

1 Dr. Joseph Ward
U.S. Army Research Institute
5001 Eisenhower Avenue
Alexandria, VA 22333

Air Force

1 Air Force Human Resources Lab
AFHRL/MPD
Brooks AFB, TX 78235

1 Dr. Earl A. Alluisi
HQ, AFHRL (AFSC)
Brooks AFB, TX 78235

1 Research and Measurment Division
Research Branch, AFMPC/MPCYPR
Randolph AFB, TX 78148

1 Dr. Malcolm Ree
AFHRL/MP
Brooks AFB, TX 78235

1 Dr. Marty Rockway
Technical Director
AFHRL(OT)
Williams AFB, AZ 58224

Marines

1 H. William Greenup
Education Advisor (E031)
Education Center, MCDEC
Quantico, VA 22134

1 Director, Office of Manpower Utilization
HQ, Marine Corps (MPU)
BCB, Bldg. 2009
Quantico, VA 22134

1 DR. A.L. SLAFKOSKY
SCIENTIFIC ADVISOR (CODE RD-1)
HQ, U.S. MARINE CORPS
WASHINGTON, DC 20380

CoastGuard

1 Mr. Thomas A. Warm
U. S. Coast Guard Institute
P. O. Substation 18
Oklahoma City, OK 73169

Other DoD

12 Defense Technical Information Center
Cameron Station, Bldg 5
Alexandria, VA 22314
Attn: TC

1 Dr. William Graham
Testing Directorate
MEPCOM/MEPCT-P
Ft. Sheridan, IL 60037

1 Military Assistant for Training and
Personnel Technology
Office of the Under Secretary of Defense
for Research & Engineering
Room 3D129, The Pentagon
Washington, DC 20301

1 Dr. Wayne Sellman
Office of the Assistant Secretary
of Defense (MRA & L)
2B269 The Pentagon
Washington, DC 20301

1 DARPA
1400 Wilson Blvd.
Arlington, VA 22209

Civil Govt

1 Dr. Andrew R. Molnar
Science Education Dev.
and Research
National Science Foundation
Washington, DC 20550

1 Dr. Vern W. Urry
Personnel R&D Center
Office of Personnel Management
1900 E Street NW
Washington, DC 20415

1 Dr. Joseph L. Young, Director
Memory & Cognitive Processes
National Science Foundation
Washington, DC 20550

Non Govt

1 Dr. Erling B. Andersen
Department of Statistics
Studiestraede 6
1455 Copenhagen
DENMARK

1 1 psychological research unit
Dept. of Defense (Army Office)
Campbell Park Offices
Canberra ACT 2600, Australia

1 Dr. Isaac Bejar
Educational Testing Service
Princeton, NJ 08450

1 Capt. J. Jean Belanger
Training Development Division
Canadian Forces Training System
CFTSHQ, CFB Trenton
Astra, Ontario KOK 1B0

1 CDR Robert J. Biersner
Program Manager
Human Performance
Navy Medical R&D Command
Bethesda, MD 20014

1 Dr. Menucha Birenbaum
School of Education
Tel Aviv University
Tel Aviv, Ramat Aviv 69978
Israel

1 Dr. Werner Birke
DezWPs im Streitkraefteamt
Postfach 20 50 03
D-5300 Bonn 2
WEST GERMANY

1 Liaison Scientists
Office of Naval Research,
Branch Office , London
Box 39 FPO New York 09510

1 Col Ray Bowles
800 N. Quincy St.
Room 804
Arlington, VA 22217

Non Govt

1 Dr. Robert Brennan
American College Testing Programs
P. O. Box 168
Iowa City, IA 52240

1 DR. C. VICTOR BUNDERSON
WICAT INC.
UNIVERSITY PLAZA, SUITE 10
1160 SO. STATE ST.
OREM, UT 84057

1 Dr. John B. Carroll
Psychometric Lab
Univ. of No. Carolina
Davie Hall 013A
Chapel Hill, NC 27514

1 Charles Myers Library
Livingstone House
Livingstone Road
Stratford
London E15 2LJ
ENGLAND

1 Dr. Kenneth E. Clark
College of Arts & Sciences
University of Rochester
River Campus Station
Rochester, NY 14627

1 Dr. Norman Cliff
Dept. of Psychology
Univ. of So. California
University Park
Los Angeles, CA 90007

1 Dr. William E. Coffman
Director, Iowa Testing Programs
334 Lindquist Center
University of Iowa
Iowa City, IA 52242

1 Dr. Meredith P. Crawford
American Psychological Association
1200 17th Street, N.W.
Washington, DC 20036

Non Govt

1 Dr.,Fritz Drasgow
Yale School of Organization and Manageme
Yale University
Box 1A
New Haven, CT 06520

1 Dr. Mavin D. Dunnette
Personnel Decisions Research Institute
2415 Foshay Tower
821 Marguette Avenue
Mineapolis, MN 55402

1 Mike Durmeyer
Instructional Program Development
Building 90
NET-PDCD
Great Lakes NTC, IL 60088

1 ERIC Facility-Acquisitions
4833 Rugby Avenue
Bethesda, MD 20014

1 Dr. Benjamin A. Fairbank, Jr.
McFann-Gray & Associates, Inc.
5825 Callaghan
Suite 225
San Antonio, Texas 78228

1 Dr. Leonard Feldt
Lindquist Center for Measurment
University of Iowa
Iowa City, IA 52242

1 Dr. Richard L. Ferguson
The American College Testing Program
P.O. Box 168
Iowa City, IA 52240

1 Dr. Victor Fields
Dept. of Psychology
Montgomery College
Rockville, MD 20850

1 Univ. Prof. Dr. Gerhard Fischer
Liebiggasse 5/3
A 1010 Vienna
AUSTRIA

Non Govt

1 Professor Donald Fitzgerald
University of New England
Armidale, New South Wales 2351
AUSTRALIA

1 Dr. Edwin A. Fleishman
Advanced Research Resources Organ.
Suite 900
4330 East West Highway
Washington, DC 20014

1 Dr. John R. Frederiksen
Bolt Beranek & Newman
50 Moulton Street
Cambridge, MA 02138

1 DR. ROBERT GLASER
LRDC
UNIVERSITY OF PITTSBURGH
3939 O'HARA STREET
PITTSBURGH, PA 15213

1 Dr. Ron Hambleton
School of Education
University of Massechusetts
Amherst, MA 01002

1 Dr. Chester Harris
School of Education
University of California
Santa Barbara, CA 93106

1 Dr. Lloyd Humphreys
Department of Psychology
University of Illinois
Champaign, IL 61820

1 Library
HumRRO/Western Division
27857 Berwick Drive
Carmel, CA 93921

1 Dr. Steven Hunka
Department of Education
University of Alberta
Edmonton, Alberta
CANADA

Non Govt

1 Dr. Earl Hunt
Dept. of Psychology
University of Washington
Seattle, WA 98105

1 Dr. Huynh Huynh
College of Education
University of South Carolina
Columbia, SC 29208

1 Professor John A. Keats
University of Newcastle
AUSTRALIA 2308

1 Mr. Marlin Kroger
1117 Via Goleta
Palos Verdes Estates, CA 90274

1 Dr. Michael Levine
Department of Educational Psychology
210 Education Bldg.
University of Illinois
Champaign, IL 61801

1 Dr. Charles Lewis
Faculteit Sociale Wetenschappen
Rijksuniversiteit Groningen
Oude Boteringestraat 23
9712GC Groningen
Netherlands

1 Dr. Robert Linn
College of Education
University of Illinois
Urbana, IL 61801

1 Dr. Frederick M. Lord
Educational Testing Service
Princeton, NJ 08540

1 Dr. Gary Marco
Educational Testing Service
Princeton, NJ 08450

1 Dr. Scott Maxwell
Department of Psychology
University of Houston
Houston, TX 77004

Non Govt

1 Dr. Samuel T. Mayo
Loyola University of Chicago
820 North Michigan Avenue
Chicago, IL 60611

1 Bill Nordbrock
Instructional Program Development
Building 90
NET-PDCD
Great Lakes NTC, IL 60088

1 Dr. Melvin R. Novick
356 Lindquist Center for Measurment
University of Iowa
Iowa City, IA 52242

1 Dr. Jesse Orlansky
Institute for Defense Analyses
400 Army Navy Drive
Arlington, VA 22202

1 Dr. James A. Paulson
Portland State University
P.O. Box 751
Portland, OR 97207

1 MR. LUIGI PETRULLO
2431 N. EDGEWOOD STREET
ARLINGTON, VA 22207

1 DR. DIANE M. RAMSEY-KLEE
R-K RESEARCH & SYSTEM DESIGN
3947 RIDGEMONT DRIVE
MALIBU, CA 90265

1 MINRAT M. L. RAUCH
P II 4
BUNDESMINISTERIUM DER VERTEIDIGUNG
POSTFACH 1328
D-53 BONN 1, GERMANY

1 Dr. Mark D. Reckase
Educational Psychology Dept.
University of Missouri-Columbia
4 Hill Hall
Columbia, MO 65211

Non Govt

1 Dr. Andrew M. Rose
American Institutes for Research
1055 Thomas Jefferson St. NW
Washington, DC 20007

1 Dr. Leonard L. Rosenbaum, Chairman
Department of Psychology
Montgomery College
Rockville, MD 20850

1 Dr. Ernst Z. Rothkopf
Bell Laboratories
600 Mountain Avenue
Murray Hill, NJ 07974

1 Dr. Lawrence Rudner
403 Elm Avenue
Takoma Park, MD 20012

1 Dr. J. Ryan
Department of Education
University of South Carolina
Columbia, SC 29208

1 PROF. FUMIKO SAMEJIMA
DEPT. OF PSYCHOLOGY
UNIVERSITY OF TENNESSEE
KNOXVILLE, TN 37916

1 DR. ROBERT J. SEIDEL
INSTRUCTIONAL TECHNOLOGY GROUP
HUMRRO
300 N. WASHINGTON ST.
ALEXANDRIA, VA 22314

1 Dr. Kazuo Shigemasu
University of Tohoku
Department of Educational Psychology
Kawauchi, Sendai 980
JAPAN

1 Dr. Edwin Shirkey
Department of Psychology
University of Central Florida
Orlando, FL 32816

Non Govt

1 Dr. Robert Smith
Department of Computer Science
Rutgers University
New Brunswick, NJ 08903

1 Dr. Richard Snow
School of Education
Stanford University
Stanford, CA 94305

1 Dr. Robert Sternberg
Dept. of Psychology
Yale University
Box 11A, Yale Station
New Haven, CT 06520

1 DR. PATRICK SUPPES
INSTITUTE FOR MATHEMATICAL STUDIES IN
THE SOCIAL SCIENCES
STANFORD UNIVERSITY
STANFORD, CA 94305

1 Dr. Hariharan Swaminathan
Laboratory of Psychometric and
Evaluation Research
School of Education
University of Massachusetts
Amherst, MA 01003

1 Dr. Brad Sympson
Psychometric Research Group
Educational Testing Service
Princeton, NJ 08541

1 Dr. Kikumi Tatsuoka
Computer Based Education Research
Laboratory
252 Engineering Research Laboratory
University of Illinois
Urbana, IL 61801

1 Dr. David Thissen
Department of Psychology
University of Kansas
Lawrence, KS 66044

Non Govt

1 Dr. Robert Tsutakawa
Department of Statistics
University of Missouri
Columbia, MO 65201

1 Dr. J. Uhlaner
Perceptronics, Inc.
6271 Variel Avenue
Woodland Hills, CA 91364

1 Dr. Howard Wainer
Division of Psychological Studies
Educational Testing Service
Princeton, NJ 08540

1 Dr. Phyllis Weaver
Graduate School of Education
Harvard University
200 Larsen Hall, Appian Way
Cambridge, MA 02138

1 Dr. David J. Weiss
N660 Elliott Hall
University of Minnesota
75 E. River Road
Minneapolis, MN 55455

1 DR. SUSAN E. WHITELY
PSYCHOLOGY DEPARTMENT
UNIVERSITY OF KANSAS
LAWRENCE, KANSAS 66044

1 Wolfgang Wildgrube
Streitkraefteamt
Box 20 50 03
D-5300 Bonn 2
WEST GERMANY